

**PONCHO BETA FS453,3 1X1000L IBC GB**Version 2 / EU
1020000084001/7
Revision Date: 29.06.2007
Print Date: 27.11.2007**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING****Product information**

Trade name PONCHO BETA FS453,3 1X1000L IBC GB
Product code (UVP) 06264247
Usage Insecticide
Company Bayer CropScience AG
Alfred-Nobel-Straße 50
40789 Monheim
Germany

Telephone +49(0)2173-38-3373
Telefax +49(0)2173-38-7394
Responsible Department Material and Transport Safety Management
+49(0)2173-38-3409/4566
Email: INFO.EHS@bayercropscience.com

Emergency telephone number +49(0)2133-51-4233 (Sicherheitszentrale Dormagen, Bayer AG)

2. HAZARDS IDENTIFICATION**Risk advice to man and the environment**

|| Harmful if swallowed.
|| Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS**Chemical nature**Flowable concentrate for seed treatment (FS)
Beta-Cyfluthrin 53,3 g/l + Clothianidin 400 g/l**Hazardous components**

Chemical Name	CAS-No. / EINECS-No.	Symbol(s)	R-phrases(s)	Concentration [%]
beta-Cyfluthrin	68359-37-5 269-855-7	T+, N	R26/28, R50/53	4,45
Clothianidin	210880-92-5			33,30
Fatty alcohol ethoxylate	380223-00-7	Xn, N	R22, R41, R50	>= 0,10 - < 5,00

For the full text of the R phrases mentioned in this Section, see Section 16.

4. FIRST AID MEASURES**General advice**

Move out of dangerous area. Place and transport victim in stable position (lying sideways).
Remove contaminated clothing immediately and dispose of safely.



PONCHO BETA FS453,3 1X1000L IBC GB

Version 2 / EU
102000008400

2/7
Revision Date: 29.06.2007
Print Date: 27.11.2007

Skin contact

Wash off thoroughly with plenty of water and soap, if available with polyethyleneglycol 400, subsequently rinse with water. After skin contact: Apply Vitamin E cream or a simple body milk. If symptoms persist, call a physician.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

Notes to Physician

Symptoms

Local: skin and eye paraesthesia which may be severe, Usually transient with resolution within 24 hours., eye and mucous membrane irritation, cough

Symptoms

Systemic: discomfort in the chest, bronchial hypersecretion, pulmonary oedema, tachycardia, low blood pressure, Palpitation, Vomiting, Diarrhoea, Abdominal pain, Nausea, Salivation, dizziness, blurred vision, headache, apathy, anorexia, somnolence, Coma, spasm, Convulsions, Tremors, ataxia, muscular fasciculation

Risks

This product contains a pyrethroid.
Must NOT be confused with organophosphorus compounds!

Treatment

Local treatment:
After eye contact: Instillation of local anaesthetic drops e.g. 1% Amethocaine Hydrochloride eye drops. Give Analgesics as necessary.

Treatment

Systemic treatment:
Endotracheal intubation and gastric lavage, followed by administration of charcoal and sodium sulphate.
Monitoring of respiratory and cardiac functions.
Anti-convulsive therapy: Diazepam i.v. is the remedy of choice; barbiturates, e.g. phenobarbital and calcium gluconate, may also be used.
There is no specific antidote.
Contraindication: derivatives of adrenaline.
Contraindication: atropine.
Spontaneous recovery.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray
Carbon dioxide (CO₂)
Foam
Sand

Specific hazards during fire fighting

In the event of fire the following can be released:
hydrogen chloride (HCl)
Hydrogen cyanide (hydrocyanic acid)



PONCHO BETA FS453,3 1X1000L IBC GB

Version 2 / EU
102000008400

3/7
Revision Date: 29.06.2007
Print Date: 27.11.2007

carbon monoxide (CO)
nitrogen oxides (NOx)

Special protective equipment for fire-fighters

In the event of fire and/or explosion do not breathe fumes.
In the event of fire, wear self-contained breathing apparatus.

Further information

Contain the spread of the fire-fighting media.
Do not allow run-off from fire fighting to enter drains or water courses.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Avoid contact with spilled product or contaminated surfaces.
Use personal protective equipment.

Environmental Precautions

Do not allow to get into surface water, drains and ground water.

Methods for Cleaning Up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).
Clean contaminated floors and objects thoroughly, observing environmental regulations.
Keep in suitable, closed containers for disposal.

Additional Advice

Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

7. HANDLING AND STORAGE

Handling

Advice on safe handling
Use only in area provided with appropriate exhaust ventilation.

Storage

Requirements for storage areas and containers

Store in original container.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Store in a place accessible by authorized persons only.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

Storage stability

Other data Do not store at temperatures below -5 °C.

Suitable materials

HDPE (high density polyethylene)

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.



PONCHO BETA FS453,3 1X1000L IBC GB

Version 2 / EU
102000008400

4/7
Revision Date: 29.06.2007
Print Date: 27.11.2007

Hand Protection	Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness 0,40 mm). Wash when contaminated. Dispose of when contaminated inside, when perforated or when contamination outside cannot be removed. Wash hands always before eating, drinking, smoking or using the toilet.
Eye protection	Wear goggles conforming to EN166 (Field of Use 5 or equivalent).
Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form	liquid, suspension
Colour	white
Odour	weak, characteristic

Safety data

pH	4,0 - 6,0 at 100 % (20 °C)
Flash point	> 100 °C No flash point - Determination conducted up to the boiling point.
Ignition temperature	575 °C
Density	approx. 1,16 g/cm ³ at 20 °C
Water solubility	miscible
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113

10. STABILITY AND REACTIVITY

Hazardous Reactions	No hazardous reactions when stored and handled according to prescribed instructions. Stable under recommended storage conditions.
---------------------	--

11. TOXICOLOGICAL INFORMATION

Acute Oral Toxicity	LD50 (rat) > 500 - < 1.000 mg/kg Test conducted with a similar formulation.
---------------------	--

**PONCHO BETA FS453,3 1X1000L IBC GB**Version 2 / EU
1020000084005/7
Revision Date: 29.06.2007
Print Date: 27.11.2007

Acute Inhalation Toxicity	LC50 (rat) > 2,67 mg/l Exposure time: 4 h Determined in the form of a respirable aerosol. Highest attainable concentration. Test conducted with a similar formulation.
Acute Dermal Toxicity	LD50 (rat) > 4.000 mg/kg Test conducted with a similar formulation.
Skin Irritation	No skin irritation. (rabbit) Test conducted with a similar formulation.
Eye Irritation	Slight irritant effect - does not require labelling. (rabbit) Test conducted with a similar formulation.
Sensitization	Non-sensitizing. (guinea pig) OECD Test Guideline 406, Magnusson & Kligman test Test conducted with a similar formulation.

12. ECOLOGICAL INFORMATION**Ecotoxicity effects**

Toxicity to Fish	LC50 (Rainbow trout (<i>Oncorhynchus mykiss</i>)) > 104,2 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient clothianidin.
Toxicity to Fish	LC50 (Rainbow trout (<i>Oncorhynchus mykiss</i>)) 0,000068 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient beta-cyfluthrin.
Toxicity to daphnia	EC50 (Water flea (<i>Daphnia magna</i>)) > 119 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient clothianidin.
Toxicity to daphnia	EC50 (Water flea (<i>Daphnia magna</i>)) 0,00029 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient beta-cyfluthrin.
Toxicity to algae	IC50 (<i>Pseudokirchneriella subcapitata</i>) > 120 mg/l Growth rate Exposure time: 72 h The value mentioned relates to the active ingredient clothianidin.
Toxicity to algae	IC50 (<i>Desmodesmus subspicatus</i>) > 0,01 mg/l Growth rate Exposure time: 72 h The value mentioned relates to the active ingredient beta-cyfluthrin. No acute toxicity was observed at its limit of water solubility.

13. DISPOSAL CONSIDERATIONS**Product**

In accordance with current regulations and, if necessary, after consultation with the site

**PONCHO BETA FS453,3 1X1000L IBC GB**Version 2 / EU
1020000084006/7
Revision Date: 29.06.2007
Print Date: 27.11.2007

operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Waste key for the unused product

020108 agrochemical waste containing dangerous substances

14. TRANSPORT INFORMATION**ADR/RID/ADNR**

UN-Number	3082
Labels	9
Packaging group	III
Hazard no.	90
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BETA-CYFLUTHRIN SOLUTION)

IMDG

UN-Number	3082
Labels	9
Packaging group	III
EmS	F-A , S-F
Marine pollutant	Marine pollutant
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BETA-CYFLUTHRIN SOLUTION)

IATA

UN-Number	3082
Labels	9
Packaging group	III
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BETA-CYFLUTHRIN SOLUTION)

15. REGULATORY INFORMATION
Classification and labelling in accordance with the EC Directive on dangerous preparations 1999/45/EC as amended.

Classification:

|| Labelling according to EC Directives

Hazardous components which must be listed on the label:

- beta-Cyfluthrin
- Clothianidin

Symbol(s)

 Xn	Harmful
 N	Dangerous for the environment

R-phrase(s)

 R22	Harmful if swallowed.
 R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.



PONCHO BETA FS453,3 1X1000L IBC GB

Version 2 / EU
102000008400

7/7
Revision Date: 29.06.2007
Print Date: 27.11.2007

S-phrases(s)

S35
S57

This material and its container must be disposed of in a safe way.
Use appropriate container to avoid environmental contamination.

Exceptional labelling

To avoid risks to man and the environment, comply with the instructions for use.

Further information

WHO-classification: II (Moderately hazardous)

16. OTHER INFORMATION

Further information

Text of R phrases mentioned in Section 3:

R22	Harmful if swallowed.
R26/28	Very toxic by inhalation and if swallowed.
R41	Risk of serious damage to eyes.
R50	Very toxic to aquatic organisms.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

The information given in this Data Sheet has been included in accordance with the guidelines established by Regulation (EC) 1907/2006. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.